U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION For Insurance Company Use:				
A1. Building Owner's Name SHAWN & VIOLA SLADE		Policy Number		
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. 555 FREEMAN ROAD #204	. Route and Box No.	Company NAIC Number		
City CENTRAL POINT State OR ZIP Code 97502				
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal De LOT 204, THE MEADOWS, PHASE 4, A PLANNED UNIT DEVELOPMENT; JAC	escription, etc.) KSON COUNTY ASSESSOR'S MAP I	NO: 37 2W 11BA TAX LOT 11100		
LOT 204, THE MEADOWS, PHASE 4, A PLANNED UNIT DEVELOPMENT; JACKSON COUNTY ASSESSOR'S MAP NO: 37 2W 11BA TAX LOT 11100 A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL A5. Latitude/Longitude: Lat. 42°22′15.16" N Long. 122°54′24.99" W Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 9 A8. For a building with a crawlspace or enclosure(s): A9. For a building with an attached garage: a) Square footage of crawlspace or enclosure(s) 1512 sq ft b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 22 within 1.0 foot above adjacent grade 0 c) Total net area of flood openings in A8.b 892 sq in c) Total net area of flood openings in A9.b N/A sq in				
d) Engineered flood openings?	d) Engineered flood openi			
SECTION B - FLOOD INSURANCE R				
B1. NFIP Community Name & Community Number CITY OF CENTRAL POINT, 410092 B2. County Nam JACKSON		33. State OR		
41029C 1956 F Date Effective/	RM Panel B8. Flood Revised Date Zone(s) 7 3, 2011 AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 1276.8		
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date N/A ☐ CBRS ☐ OPA				
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)				
	FORMATION (SURVEY REQUIR	ED)		
	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE.	☐ Finished Construction , AR/AO. Complete Items C2.a-h		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same day Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem	Finished Construction , AR/AO. Complete Items C2.a-h ent used.		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same das Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/10 b) Top of the next higher floor	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction , AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is the Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same date Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only)	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only) Rico only) Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same das Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only) Rico only) Rico only) Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same das Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab)	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only) Rico only) Rico only) Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same date Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG)	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only) Rico only) Rico only) Rico only) Rico only) Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same date Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/2 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) 1/2 d) Attached garage (top of slab) 1/2 e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 1/3 f) Lowest adjacent (finished) grade next to building (HAG) 1/4 e) 1/3 finished (HAG) 1/4 e) 1/4	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/2 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, or archite information. I certify that the information on this Certificate represents my best efformation. I certify that the information on this Certificate represents my best efformation of that any false statement may be punishable by fine or imprisonment under the propertion of the construction of the construction of the certificate represents my best efformation on that any false statement may be punishable by fine or imprisonment under the propertion of the construction of the construction of the construction of the building in the propertion of the construction of the building in the propertion of the building in the propertion of the building in the building in the propertion of the building in the buildi	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Enished Construction AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/2 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) 1/2 d) Attached garage (top of slab) 1/2 e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 1/3 f) Lowest adjacent (finished) grade next to building (LAG) 1/4 e) Highest adjacent (finished) grade next to building (HAG) 1/4 e) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, or architecture information. I certify that the information on this Certificate represents my best efformation. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate repr	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Enished Construction AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same data Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/2 b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) 1/2 d) Attached garage (top of slab) 1/2 e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 1/3 f) Lowest adjacent (finished) grade next to building (LAG) 1/4 e) Highest adjacent (finished) grade next to building (HAG) 1/4 e) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, or architecture information. I certify that the information on this Certificate represents my best efformation. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate represents my best efformations. I certify that the information on this Certificate repr	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Enished Construction AR/AO. Complete Items C2.a-h ent used. Rico only)		
C1. Building elevations are based on: *A new Elevation Certificate will be required when construction of the building is the elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), below according to the building diagram specified in Item A7. Use the same date below according to the building diagram specified in Item A7. Use the same date below according to the building diagram specified in Item A7. Use the same date below according to the building diagram specified in Item A7. Use the same date below according to the building diagram specified in Item A7. Use the same date below according to the building diagram specified in Item A7. Use the same date below according to the building denoted by according to the same date below according to the building denoted by according to the same date below according to the building floor. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1/2 by Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) 1/2 do Attached garage (top of slab) 1/2 attached ga	Building Under Construction* s complete. AR, AR/A, AR/AE, AR/A1-A30, AR/AH atum as the BFE. Check the measurem 275.6	Finished Construction AR/AO. Complete Items C2.a-h ent used. Rico only) SEAL COUL E.HALLOLLAMBER		

			A	For Insurance Company Hoo
IMPORTANT: In these spaces, co Building Street Address (including Apt., U	py the corresponding informa	Route and Box N	ion A.	For Insurance Company Use: Policy Number
555 FREEMAN ROAD #204		Noute and box is		Company NAIC Number
City CENTRAL POINT State OR ZIP				
) - SURVEYOR, ENGINEER, OF			
Copy both sides of this Elevation Certific				
Comments [A5] COORDINATES UTILI VENTS (DECORATIVE CMU BLOCKS V CONCRETE PAD FOR HEAT PUMP. ** HEREON BASED ON THE NAVD88 VE CONTROL P549).**	WITH 40.55 SQ IN OF OPEN SPACE * BOTTOM OF A WATER HEATER /	E PER BLOCK), \ AT FF OF HOME D CITY OF CENT	WITH HARDWARE CLC IS AT 12758.4 FEET. RAL POINT PUBLISHE	ALL ELEVATIONS MEASURED
Signature Caul E. Neat V.		Date 03-19-	AC2000 N 20	☐ Check here if attachments
SECTION E - BUILDING ELEV	ATION INFORMATION (SURVE	Y NOT REQUI	RED) FOR ZONE AC	AND ZONE A (WITHOUT BFE)
 b) Top of bottom floor (including b E2. For Building Diagrams 6-9 with per (elevation C2.b in the diagrams) of E3. Attached garage (top of slab) is E4. Top of platform of machinery and/E5. Zone AO only: If no flood depth n 	ade, if available. Check the measure the following and check the appropriate tent grade (LAG). asement, crawlspace, or enclosure) asement, crawlspace, or enclosure) trmanent flood openings provided in the building is	isset boxes to show ississection A Items & feet	whether the elevation is whether the elevation is whether the elevation is feet meters feet meters and/or 9 (see pages 8-blow below the HAG. feet meters atted in accordance with	s above or below the highest adjacent above or below the HAG. above or below the LAG. solutions below the LAG. solutions below the LAG. solutions higher floor the HAG.
	F - PROPERTY OWNER (OR O			TIFICATION
	ed representative who completes Se	ctions A, B, and E	for Zone A (without a F	FEMA-issued or community-issued BFE)
Property Owner's or Owner's Authorized	d Representative's Name			
Address		City	State	e ZIP Code
Signature		Date	Telep	phone
Comments				
				☐ Check here if attachment
	SECTION G - COMMUNIT	Y INFORMATI	ON (OPTIONAL)	
The local official who is authorized by law and G of this Elevation Certificate. Comp	or ordinance to administer the com	munity's floodplai	n management ordinand	ce can complete Sections A, B, C (or E), Items G8 and G9.
G1 The information in Section C.w.		hat has been sign	ned and sealed by a lice	ensed surveyor, engineer, or architect who
G2. A community official completed	Section E for a building located in Z	one A (without a	FEMA-issued or commi	unity-issued BFE) or Zone AO.
G3. The following information (Item	s G4-G9) is provided for community			
G4. Permit Number N/A	G5. Date Permit Issued N/A	G6 N/		ompliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Su	bstantial Improve	ement	
	cluding basement) of the building: 12			
G9. BFE or (in Zone AO) depth of flood			meters (PR) Datum	
G10. Community's design flood elevation	12	<u>277.8</u> ⊠ feet [☐ meters (PR) Datum ∫	NAVD88
Local Official's Name Stephanie Holte	y, CFM	Title Flo	oodplain Coordinator	
Community Name City of Central Point	t	Telepho	ne 541.664.7602	
Signature Strompu Ho	ttorx		/26/2011	
Comments Structure is Post-FIRM (but foundation vent standards provided in Comments and Comments and Comments and Comments are comments and Comments and Comments are comments are comments and Comments are comments and Comments are comments are comments and Comments are comments and Comments are comments and Comments are comments are comments and Comments are comments are comments are comments and Comments are comments are comments are comments are comments and Comments are comments and comments are comments.	ilt in 1993). Installation of additional Chapter 8.24. Even with this modific	flood vents per C ation, the first hat	chapter 8.24 Flood Dam bitable floor is still 1.7 fe	age Prevention is needed to comply with et below the new BFE.

FEMA Form 81-31, Mar 09

Replaces all previous editions

Building Photographs

See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
555 FREEMAN ROAD #204	
See The Linux Tropies (12)	
014.	<u> </u>
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.









Building Photographs Continuation Page

	A DESCRIPTION PRODUCTS AND DESCRIPTION OF THE PROPERTY OF THE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 555 FREEMAN ROAD #204	Policy Number
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."





CRAWLSPACE ACCESS / HEAT PUMP ON CONCRETE PAD

Floodplain Comparison Map

Pending Flood Map (2011 Legend VALLEY HEART LN Flood Zone: AE (High Risk) BFE: 1276.8 feet, NAVD88 555 Freeman Road #204 Information provided on the Preliminary Digital Flood For Reference Only JEFF PL Existing Flood Map (1982) MARK PL Elevation Certs Existing Flood Map NJ TRABH YBJJAV 100-Year A Zone Flood Zone: A (High Risk) 555 Freeman Road #204 WINGOS CKEEK GRAND AVE **BUSH ST** LOMAS Legend

Insurance Rate Map (DFIRM) is subject to change until formally adopted by FEMA.

X-SHADED AO 100yr FLOODWAY AE 100yr A 100yr

HEEFE PL

Source: FEMA Preliminary DFIRM 410092 1768F, 1769F, 1956F, & 1957F. June 30, 2009

Source: FEMA FIRM 410092 0001C, effective April 1, 1982, & 415589 0402B, revised January 19, 1982.

500-Year B Zone